



Noise Reduction



Water Proof



25 Years Warranty



Comfortable



Installable

D3005 Natural Oak

Guardian SPC Hybrid Flooring

Perfect floor made to last for modern interiors




Guardian Hybrid Range

Guardian Hybrid Flooring boards are robust and highly durable options for modern interiors. By extruding natural stone components with vinyl polymers, this technology creates a "Rigid Core Board" that is extremely durable, dimensionally stable, and impact-resistant.

It is 100% waterproof, making it suitable for installation in any living area, including bathrooms.

What is hybrid flooring made of?

Here's a breakdown of how each layer contributes:




Colours


(5mm Rigid Core Board + 1.5mm Underlay)

Guardian Range Hybrid come by 5mm Rigid Core, 1.5mm Acoustic Underlay, and 14 colours in total which embrace contemporary design concepts.


Choose Your Colors :




D3001
Blackbutt




D3002
Spotted Gum




D3003
Fertile Oak




D3004
Chester Oak




D3005
Natural Oak




D3006
Natural Oak Grey




D3007
Grey Oak




D3008
Dexter Oak




D3009
Dark Oak




D3012
White Oak




D3013
Concrete Beige



D3015
Homestead Chestnut



D3016
Cottage Brown



D3017
Estate Grey Oak

*Despite every effort to provide accurate images of each product's color and design, actual colors and designs may vary slightly

Key Features

Waterproof

Guardian Hybrid Range is 100% waterproof, ensuring it withstands spills. Can be installed in wet areas such as laundry and bathrooms.

Easy to Install

The simple installation process involves angling the short-side plank downward and clicking it into the long edges, making it a hassle-free experience.

Noise Reduction

With a pre-adhered 5-star ratings acoustic IXPE cross-linked underlay, our flooring creates a peaceful indoor environment by effectively minimizing noise, enhancing your living experience.

Stunning Visuals

Choose from a variety of colors and textures to match your interior decor. Our options are contemporary aesthetics and stylish.

Durable & Stable

Made from stone materials, providing exceptional stability and impact resistance. The extraordinary hard-wear layer ensures it won't warp or crack.



Comfortability

Stepping onto our hybrid floors is incredibly comfortable, providing a relaxing and enjoyable experience after a long day at work.

Easy To Maintain

With its durable and stain-resistant surface, keeping it clean is effortless.

Guardian Range Hybrid board has a 5mm rigid core and a broad 14 colour choices. It is strong, hygienic, and graceful, suitable for all interiors and designs including laundry and bathroom areas. An adhesive 1.5mm (nominal thickness) IXPE cross-linked layer with a 5-star rating certified minimizes noise impact. The total 6.5mm thickness of planks is structurally stable for installation and long-term use.

Specifications

Board Size	1500*228*(5mm core board + 1.5mm acoustic underlay)
Pack Size	2.052sqm/pack, 6 planks
Underlay	Acoustic Soundproof IXPE cross-linked, 5-star certified
Wear Layer	0.3mm wear layer
Surface	Matt Finish
Edge	Mini-Micro Bevelled 4 sides edge
Profile	Click System
Weight	21.5kg/box

Other Technical Details

Slip Rating	AS 4586:2013 Appendix A, slider 96 Wet Pendulum P4
Fire Test	CHF Value, 8.1kw/m2, Smoke Value, 93%. min
Acoustic Rating	L'nT,w 44 - AAAC star rating, 5-Star



Embossed technology provides vivid visual effects as realistic timbers

Accessories



Stairnosing / Bullnose

Both terms describe the squared edge of a stair tread. The nosing enhances safety by providing a secure walking surface, reducing the risk of trips and falls.


- Size :** 24*115mm, 2.4 meters per length
- Material :** Hybrid (stone + plastic), same as boards
- Color :** To be matched with boards



L Shape / L Trim

L Shape trim protects board edges from damage, such as chipping or cracking. Also, it prevents water damage and mold growth in areas where the planks meet other surfaces.


- Size :** 5*25 mm, 2.7-3 meters long
- Material :** Aluminum
- Color :** Silver, black, blackbutt, spotted gum, cream, and other oak colours



Flat Cover

Flat Cover ensures smooth transitions between floors of the same level or slightly different heights.

- Size :** 44 mm, 2.7-3 meters long
- Material :** Sturdy aluminum
- Color :** Silver, black, blackbutt, spotted gum, cream, and other oak colours



C / U Channel

C and U channels secure transitions between different flooring types, protecting edges and enhancing your floor's appearance.

- Size :** 6.5mm or 8mm thick, 2.7-3 meters long
- Material :** Aluminium
- Color :** Silver, champagne, black, blackbutt, spotted gum, cream, dark grey, and other oak colours

Waterproof Hybrid Matched Scotia

Size: 2400*14*29.5mm



Spotted Gum D3002

MDF Matched Scotia

Size: 2400*14*29.5mm



Spotted Gum D3002

Cleaning and Maintenance Tips



Regular Cleaning

- Sweep the flooring regularly with an electrostatic broom, a soft bristle broom, or a wooden floor mop.
- Use a vacuum head with soft bristles (non-abrasive, no metal contact points) to remove dust.



Protection Tips

- Place floor mats at exterior and interior doors to trap sand and small stones and to dry feet after pool activities.
- Use rugs or mats in high-traffic areas to reduce wear and scuffing.
- Attach soft pads to the base of furniture with direct contact to the flooring to prevent damage.
- Avoid sliding or pushing heavy furniture while it's in contact with the flooring. (e.g., sofas, refrigerators, TV cabinets, etc.).



Pet and Spill Tips

- Keep pets' claws well-trimmed to avoid excessive scratches and gouges.
- Quickly remove spills with an absorbent cloth or similar material.
- Place roller wheels on protective mats to reduce grit and wear.



Moisture Control

- Put drip pans or protective mats under plant pots and pet feeding or bedding areas to avoid moisture ingress.
- Maintain room humidity between 35% to 50%. Use an air humidifier if needed. Ensure good airflow and ventilation to prevent excess moisture, overheating, and extreme cold.
- For site-specific issues, consult your local flooring installer or retailer for the best advice and results.

Disclaimer: We have made reasonable efforts to ensure the accuracy and reliability of the information contained herein. To the extent permitted by law, we will not be liable for any inaccuracies, omissions, or errors in this information, nor for any actions taken in reliance on this information. Products must be installed in accordance with relevant installation recommendations and industry best practices.



Perfect Floor Made To Last For Modern Interiors

D3015 Homestead Chestnut



HTT FLOORING PTY LTD
www.httflooring.com.au

Queensland Warehouse
(07) 32673007
officeqld@httflooring.com.au

NSW Warehouse
(02) 83228924
office@httflooring.com.au